



Pall Laboratory Manifold

Description

A unique microbiology manifold that allows you to optimize testing without sacrificing cleanliness. With interchangeable components and coupling devices, the manifold takes direction from you.

- **No more “dirty” manifolds:** Microbial cross contamination of your sample is a thing of the past. The manifold is designed to fit most laboratory autoclaves by separating into manageable components.
- **Double testing Capacity:** A larger manifold is at your reach with just a coupler. Modular design allows two manifolds to combine yielding a standard 6-place manifold which can be easily separated for disinfection and/or sterilization.
- **Manifolds that adapt to you:** Whether you are right or left handed, setting up your test workflow is second nature. The components interchangeable and designed with a simple slip fit to the manifold.

Regulatory

“For filtration, mount receptacle of filter holding assembly on a ...suitable device (manifold to hold three to six filter assemblies) such that a pressure differential (34 kPa to 51 kPa) can be exerted on the filter membrane.”

- *Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 9222B (f).*



Applications

Bioburden testing of filterable products is performed to determine the number of viable and reproducible microorganisms. By recovering organisms on and in a membrane filter, processing efficiency and the microbial quality of a sample can be evaluated to assure that the product is not harmful to the intended recipient.

Detecting spoilage microorganisms are critical for foods and beverages as they may be responsible for the deterioration of sensory qualities (visual, texture, and taste) and may potentially render the product harmful for consumption. Using membrane filtration, detection of these spoilage microorganisms keep contaminated items from reaching the market.

Monitoring for compliance to drinking water standards using Membrane Filtration Technique, determines if there are levels of pathogenic microorganisms in treated water or wastewater. These microorganisms include coliforms such as *Escherichia coli* (*E. coli*) and Legionella which are both classified as pathogens.

Specifications

Dimensions

Description	Length	Width	Height	Weight
3-Place Manifold (with End Cap and Hose Barb Cap)	437.1 mm (17.2 in)	152.4 mm (6.0 in)	99 mm (3.9 in)	1.7 kg (3.76 lb)
Coupling Device	34 mm (1.34 in)	31.8 mm (1.25 in)	31.8 mm (1.25 in)	70 g (0.15 lb)
MicroFunnel™ Filter Funnel Adapter*			117 mm (4.6 in)	2.35 kg (5.17 lb)
Sentino® Filter Funnel Adapter with Frit*			112 mm (4.4 in)	2.28 kg (5.02 lb)
Standard Tulip Adapter*			128 mm (5.06 in)	2.05 kg (4.53 lb)
Elongated Tulip Adapter*			170 mm (6.7 in)	2.21 kg (4.87 lb)

Materials of Construction

Description	Material
Piping, all Adapters, End Cap, Hose Barb Cap and Coupling Device	316 L Stainless Steel
Valve Assembly	316 L Stainless Steel
Valve Locking Collar and Knob	6061-T6 Anodized Aluminum
Valve O-rings	Fluorocarbon Elastomer
Adapter O-rings	Fluorocarbon Elastomer
Tube O-rings	Silicone

Ordering Information

Part Number	Description	Pkg
4889	3 Place Manifold Base 3 Manifold Valves 1 End Cap 1 Hose Barb Cap	1 set/pkg
4890	MicroFunnel Adapter	3/pkg
4891	Sentino Funnel Adapter	3/pkg
4892	Standard Adapter	3/pkg
4893	Coupling Device for Manifold	1/pkg
4959	Elongated Standard Adapter	3/pkg

Accessories and Replacement Parts

4878	Spare O-ring Kit	1 set/pkg
4894	Manifold Valves	1/pkg

Related Products

- MicroFunnel Filter Funnels
- MicroFunnel Plus and Plus AP Filter Funnels
- MicroCheck® Beverage Monitors
- 47 mm Magnetic Filter Funnels
- Sentino Filter Funnels
- Sentino Filter Dispenser and Membranes
- S-pack Membranes
- Forceps
- Petri Dishes
- Ampoule Media




Corporate Headquarters

25 Harbor Park Drive
Port Washington, New York 11050

Filtration. Separation. Solution.SM

Visit us on the Web at www.pall.com/lab

E-mail us at LabCustomerSupport@pall.com

© 2017 Pall Corporation. Pall,  MicroCheck, MicroFunnel, and Sentino are trademarks of Pall Corporation.
® indicates a trademark registered in the USA. *Filtration. Separation. Solution.* is a service mark of Pall Corporation.